

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 06/29/2007



Reviewed on 06/29/2007

## 1 Identification of substance

- **Product details**
- **Trade name:** Rolmark Blue Stencil Ink
- **Article number:** 20889, 20908
- **Application of the substance / the preparation** Printing inks
- **Manufacturer/Supplier:**  
Marsh Shipping Supply Co.,LLC  
926 McDonough Lake Road - Unit E  
Collinsville, IL 62234  
USA
- **Information department:** MSDS DEPT.
- **Emergency information:**  
Chemtrec 800-424-9300  
International 703-527-3887

## 2 Composition/Data on components

- **Chemical characterization**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· <b>Hazardous components</b>			
123-42-2	4-hydroxy-4-methylpentan-2-one		67.79%
	Modified Rosin Ester NJ TSRN 80100080-5097P EINECS polymer exempt - all components listed		8.14%
13983-17-0	Wollastonite		4.98%
147-14-8	Phthalocyanine Blue - EINECS Listed		1.823%
25265-71-8	oxydipropanol		1.72%
112945-52-5	Amorphous Fumed Silica, Silicon Dioxide, Crystalline Free		1.0%
	Substituted Copper Phthalocyanine - Trade Secret NJ Registry #: 29943300001-5650 - EINECS Listed Contains <1% as Cu by weight		0.194%
13463-67-7	titanium dioxide		11.34%

- **Additional information:**  
For the wording of the listed risk phrases refer to section 16.  
This product contains pigments which may become a dust nuisance when removed by abrasive blasting or sanding. Airborne nuisance particulates have an ACGIH TLV for total dust of 10mg/M3  
This product contains one or more Hazardous Air Pollutants (HAPS) which are regulated under Section 112 of the Clean Air Act.

## 3 Hazards identification

- **Hazard description:**



Xi Irritant

(Contd. on page 2)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 06/29/2007

Reviewed on 06/29/2007

**Trade name: Rolmark Blue Stencil Ink**

(Contd. of page 1)

· **Information pertaining to particular dangers for man and environment:**

The product has to be labelled due to the calculation procedure of international guidelines.

R 36 Irritating to eyes.

· **Potential Chronic Health Effects**

Prolonged or repeated exposure of vapors, spray, or material may cause diseases of the lungs. Reports have associated repeated overexposure to solvents with brain and nervous system damage. Intentional misuse of this product may be harmful or fatal.

· **Target Organs**

Overexposure to this material or its components has been suggested as a cause of the following effects in laboratory animals and/or humans, and may aggravate preexisting disorders of these organs in humans: Anemia, Blood disorders, Brain damage, Cardiac function, eye, liver, lung, menstrual and fertility, skin, respiratory, Central Nervous System

· **Classification system:**

The classification was made according to the latest editions of international substances lists and from component data and msds information

· **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 2

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 1

Fire = 2

Reactivity = 0

## 4 First aid measures

· **General information:**

Take affected persons out into the fresh air.

Involve doctor immediately.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Immediately rinse with water for 15 minutes. If irritation exists call physician.

· **After eye contact:**

Rinse opened eye for fifteen minutes under running water. If irritation persists, consult a doctor.

· **After swallowing:** Do not induce vomiting; immediately call for medical help.

· **Information for doctor:**

· **The following symptoms may occur:**

Breathing difficulty

Headache

Dizziness

Thirst

Cramp

Gastric or intestinal disorders

Coughing

Allergic reactions

Nausea

USA

(Contd. on page 3)

# Material Safety Data Sheet

## acc. to ISO/DIS 11014

Printing date 06/29/2007

Reviewed on 06/29/2007

**Trade name: Rolmark Blue Stencil Ink**

(Contd. of page 2)

### 5 Fire fighting measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards caused by the material, its products of combustion or resulting gases:**  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon monoxide (CO)
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### 6 Accidental release measures

- **Person-related safety precautions:**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
Wear protective clothing.
- **Measures for environmental protection:**  
Do not allow product to reach sewage system or any water course.  
Do not allow to enter sewers/ surface or ground water.  
Prevent from spreading (e.g. by damming-in or oil barriers).
- **Measures for cleaning/collecting:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Dispose of the collected material according to regulations.
- **Additional information:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Information for safe handling:**  
Store in cool, dry place in tightly closed receptacles.  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Handle with care. Avoid jolting, friction and impact.  
Hydrocarbon solvents are basically non-conductors of electricity and can become electrostatically charged during mixing or moving, observe grounding/grounding of containers and other equipment when handling.
- **Information about protection against explosions and fires:** Protect against electrostatic charges.

(Contd. on page 4)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 06/29/2007

Reviewed on 06/29/2007

Trade name: **Rolmark Blue Stencil Ink**

(Contd. of page 3)

- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store only in the original receptacle.  
Prevent any seepage into the ground.
- **Information about storage in one common storage facility:**  
Do not store together with oxidizing and acidic materials as well as heavy-metal compounds.  
Store away from foodstuffs.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.  
Protect from humidity and water.  
Protect from exposure to the light.

## 8 Exposure controls and personal protection

- **Components with limit values that require monitoring at the workplace:**

### **123-42-2 4-hydroxy-4-methylpentan-2-one**

PEL	240 mg/m <sup>3</sup> , 50 ppm
REL	240 mg/m <sup>3</sup> , 50 ppm
TLV	238 mg/m <sup>3</sup> , 50 ppm

### **Modified Rosin Ester NJ TSNR 80100080-5097P EINECS polymer exempt - all components listed**

PEL	5*15** mg/m <sup>3</sup> , 15*50** ppm
	*Respirable Fraction, **Total Dust

### **13983-17-0 Wollastonite**

TLV	10*3** mg/m <sup>3</sup>
	*Total **Respirable

### **147-14-8 Phthalocyanine Blue - EINECS Listed**

PEL	15* 5** mg/m <sup>3</sup>
	*Total **Respirable
TLV	10* 3** mg/m <sup>3</sup>
	*Inhalable **respirable

### **112945-52-5 Amorphous Fumed Silica, Silicon Dioxide, Crystalline Free**

TLV	3.5 mg/m <sup>3</sup>
-----	-----------------------

### **Substituted Copper Phthalocyanine - Trade Secret NJ Registry #: 29943300001-5650 - EINECS Listed Contains <1% as Cu by weight**

TLV	NE ppm
-----	--------

### **13463-67-7 titanium dioxide (11.34%)**

PEL	15* mg/m <sup>3</sup>
	*Total dust
REL	Lowest feasible conc.; (LOQ 0.2 mg/m <sup>3</sup> )
TLV	10 mg/m <sup>3</sup>

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 5)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 06/29/2007

Reviewed on 06/29/2007

**Trade name: Rolmark Blue Stencil Ink**

(Contd. of page 4)

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or skin contact.

Do not eat, drink, smoke or sniff while working.

· **Breathing equipment:**

Use suitable respiratory protective device in case of insufficient ventilation.

Do not breath vapors, spray mists, or sanding dusts. Use air purifying respirators fitted with organic vapor/HEPA cartridges only if air monitoring demonstrates solvent/particulate levels do not exceed the respirator maximum use concentration. Use properly fitted NIOSH approved respirators. Local and general exhaust should minimize any exposure.

· **Protection of hands:**



Protective gloves

· **Material of gloves**

Nitrile rubber, NBR

Nitrile or natural rubber gloves are typically used to protect from minor contact. Butyl type are best for prolonged contact.

· **Eye protection:**



Vapor proof safety goggles or full face respirator

· **Body protection:**

Solvent resistant protective clothing

Impervious protective clothing

Tyvek(R) coveralls to protect from light overspray protection or Saranex 23-P(R) for moderate exposure.

## 9 Physical and chemical properties

· **General Information**

<b>Form:</b>	Fluid
<b>Color:</b>	Blue
<b>Odor:</b>	Alcohol-like

· **Change in condition**

**Melting point/Melting range:** Undetermined.  
**Boiling point/Boiling range:** 150°C (302°F)

· **Flash point:** 58°C (136°F)

(Contd. on page 6)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 06/29/2007

Reviewed on 06/29/2007

Trade name: **Rolmark Blue Stencil Ink**

(Contd. of page 5)

· <b>Ignition temperature:</b>	620.0°C (1148°F)
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	In use, may form flammable/explosive vapour-air mixture.
· <b>Explosion limits:</b>	
<b>Lower:</b>	1.4 Vol %
<b>Upper:</b>	8.1 Vol %
· <b>Vapor pressure at 20°C (68°F):</b>	1.1 hPa (1 mm Hg)
· <b>Density at 20°C (68°F):</b>	1.108 g/cm <sup>3</sup>
· <b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Not miscible or difficult to mix.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	69.5 %
· <b>Solids content:</b>	30.5 %

## 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Dangerous reactions** Reacts with acids, alkalis and oxidizing agents.
- **Dangerous products of decomposition:**  
Nitrogen oxides  
Chlorine  
Sulfur dioxide  
Carbon monoxide and carbon dioxide

## 11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

**123-42-2 4-hydroxy-4-methylpentan-2-one**

Oral	LD50	4000 mg/kg (rat)
------	------	------------------

Dermal	LD50	13630 mg/kg (rab)
--------	------	-------------------

**147-14-8 Phthalocyanine Blue - EINECS Listed**

Oral	LD50	> 5000 mg/kg (rat)
------	------	--------------------

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:**  
Sensitizing effect through inhalation is possible with prolonged exposure.  
Sensitizing effect by skin contact is possible with prolonged exposure.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 7)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 06/29/2007

Reviewed on 06/29/2007

**Trade name: Rolmark Blue Stencil Ink**

(Contd. of page 6)

*Irritant*  
*Danger through skin absorption.*

## 12 Ecological information

· **General notes:**

*Water hazard class 1 (Self-assessment): slightly hazardous for water*

*Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*

*This statement was deduced from the properties of the single components.*

## 13 Disposal considerations

· **Product:**

· **Recommendation:**

*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*

*Hand over to hazardous waste disposers.*

· **Uncleaned packagings:**

· **Recommendation:** *Disposal must be made according to official regulations.*

## 14 Transport information

· **DOT regulations:**



· **Hazard class:** *Ink, not regulated by Title 49 Part 173.150 Exceptions for Class 3 (flammable) and combustible liquids,(f)(1)*

· **Land transport ADR/RID (cross-border):**



· **ADR/RID class:** *3 Flammable liquids*

· **Danger code (Kemler):** *30*

· **UN-Number:** *1210*

· **Packaging group:** *III*

· **Description of goods:** *1210 PRINTING INK*

(Contd. on page 8)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 06/29/2007

Reviewed on 06/29/2007

Trade name: **Rolmark Blue Stencil Ink**

(Contd. of page 7)

· **Maritime transport IMDG:**

- **IMDG Class:** 3
- **UN Number:** 1210
- **Label** 3
- **Packaging group:** III
- **EMS Number:** F-E,S-D
- **Propper shipping name:** PRINTING INK

· **Air transport ICAO-TI and IATA-DGR:**

- **ICAO/IATA Class:** 3
- **UN/ID Number:** 1210
- **Label** 3
- **Packaging group:** III
- **Propper shipping name:** PRINTING INK

## 15 Regulations

· **Sara**· **Section 313 (Specific toxic chemical listings):**

Substituted Copper Phthalocyanine - Trade Secret NJ Registry #: 29943300001-5650 - EINECS Listed Contains <1% as Cu by weight	0,194%
---	--------

· **SARA Title III Section 311/312 - Hazard Communication Standard (40 CFR 370)**

13463-67-7	titanium dioxide	11,34%
	Substituted Copper Phthalocyanine - Trade Secret NJ Registry #: 29943300001-5650 - EINECS Listed Contains <1% as Cu by weight	0,194%
	rosin, resin derivative, aluminum salt NJ registry # 29943300001-5642 - EINECS Listed	0,194%
68987-63-3	Chlorinated Copper, [29H, 31H-phthalocyaninato(2-)-	0,17%
	Amine - Trade Secret - EINECS Listed NJ registry # 29943300001-4023	0,049%

· **RCRA: Resource Conservation and Recovery Act / Code**

147-14-8	Phthalocyanine Blue - EINECS Listed	Cu-grondwater monit.	1,823%
----------	-------------------------------------	----------------------	--------

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed or exempt.

123-42-2	4-hydroxy-4-methylpentan-2-one
13463-67-7	titanium dioxide
	Modified Rosin Ester NJ TSRN 80100080-5097P EINECS polymer exempt - all components listed
147-14-8	Phthalocyanine Blue - EINECS Listed

(Contd. on page 9)

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 06/29/2007

Reviewed on 06/29/2007

Trade name: **Rolmark Blue Stencil Ink**

(Contd. of page 8)

25265-71-8	oxydipropanol
	acrylic copolymer -EU Polymer exempted- Not Regulated
112945-52-5	Amorphous Fumed Silica, Silicon Dioxide, Crystalline Free
7631-86-9	silicon dioxide, chemically prepared
21645-51-2	aluminium hydroxide
	Substituted Copper Phthalocyanine - Trade Secret NJ Registry #: 29943300001-5650 - EINECS Listed Contains <1% as Cu by weight
68987-63-3	Chlorinated Copper,[29H,31H-phthalocyaninato(2)-
1333-86-4	Carbon black

· **Clean Air Act- Hazardous Air Pollutants**· **Clean Water Act: Section 311(b)(2)(A) & Priority Pollutants**

147-14-8	Phthalocyanine Blue - EINECS Listed	Cu - Section 304 & 307	1,823%
	Substituted Copper Phthalocyanine - Trade Secret NJ Registry #: 29943300001-5650 - EINECS Listed Contains <1% as Cu by weight	Priority Pollutant	0,194%
68987-63-3	Chlorinated Copper,[29H,31H-phthalocyaninato(2)-	Priority Pollutant	0,17%

· **ACGIH Carcinogen**

13463-67-7	titanium dioxide	A4	11,34%
------------	------------------	----	--------

· **Cancerogenicity categories**· **IARC (International Agency for Research on Cancer)**

13463-67-7	titanium dioxide	3	11,34%
13983-17-0	Wollastonite	3	4,98%
7631-86-9	silicon dioxide, chemically prepared	3	0,756%
1333-86-4	Carbon black	2B	0,07%

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

13463-67-7	titanium dioxide	A4	11,34%
1333-86-4	Carbon black	A4	0,07%

· **NIOSH (National Institute for Occupational Safety and Health)**

123-42-2	4-hydroxy-4-methylpentan-2-one	Guidelines 89-104	67,79%
13463-67-7	titanium dioxide	Guidelines 81-123	11,34%
1333-86-4	Carbon black	Std 78-204, Guidelines 88-118	0,07%

· **State regulations**· **New Jersey Right-to-know**

	Modified Rosin Ester NJ TSRN 80100080-5097P EINECS polymer exempt - all components listed	TSRN 80100080-5097P	8,14%
147-14-8	Phthalocyanine Blue - EINECS Listed	Cu compound	1,823%
	rosin, resin derivative, aluminum salt NJ registry # 29943300001-5642 - EINECS Listed	Listed	0,194%

(Contd. on page 10)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 06/29/2007

Reviewed on 06/29/2007

Trade name: **Rolmark Blue Stencil Ink**

(Contd. of page 9)

**· Massachusetts Right-to-know / Hazardous Substance Codes**

123-42-2	4-hydroxy-4-methylpentan-2-one	2,4	67,79%
13463-67-7	titanium dioxide	4	11,34%
7631-86-9	silicon dioxide, chemically prepared	2,4,5 F5	0,756%
1333-86-4	Carbon black	2,4 F5	0,07%

**· Florida Hazardous / Toxic Substance Lists**

123-42-2	4-hydroxy-4-methylpentan-2-one	Toxic	67,79%
7631-86-9	silicon dioxide, chemically prepared	Toxic	0,756%

**· Pennsylvania Hazardous Substances**

123-42-2	4-hydroxy-4-methylpentan-2-one	--	67,79%
13463-67-7	titanium dioxide	Listed	11,34%
147-14-8	Phthalocyanine Blue - EINECS Listed	Cu compound	1,823%
25265-71-8	oxydipropanol	Listed	1,72%
7631-86-9	silicon dioxide, chemically prepared	Listed	0,756%
	Substituted Copper Phthalocyanine - Trade Secret NJ Registry #: 29943300001-5650 - EINECS Listed Contains <1% as Cu by weight	Environmental Hazardous Substance	0,194%
68987-63-3	Chlorinated Copper, [29H, 31H- phthalocyaninato(2)-	Environmental Hazardous Substance	0,17%

**· Minnesota Right To Know / Hazardous Substances**

123-42-2	4-hydroxy-4-methylpentan-2-one	ANO	67,79%
13463-67-7	titanium dioxide	A	11,34%
7631-86-9	silicon dioxide, chemically prepared	Codes ANOR, Carcinogen	0,756%
1333-86-4	Carbon black	Codes: ANOR, Carcinogen	0,07%

**· Product related hazard informations:**

The product has been classified and marked in accordance with directives on hazardous materials.

**· Hazard symbols:**

Xi Irritant

**· Risk phrases:**

36 Irritating to eyes.

**· Safety phrases:**

23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

25 Avoid contact with eyes.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

33 Take precautionary measures against static discharges.

36 Wear suitable protective clothing.

51 Use only in well-ventilated areas.

60 This material and its container must be disposed of as hazardous waste.

**· National regulations:**
**· Occupational Safety and Health Act (OSHA)**

Immediate (acute) health hazard

(Contd. on page 11)

USA

# Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 06/29/2007

Reviewed on 06/29/2007

**Trade name: Rolmark Blue Stencil Ink**

(Contd. of page 10)

*Delayed (chronic) Health Hazard*  
*Fire Hazard*

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

## 16 Other information

*To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*

· **Relevant R-phrases**

36 Irritating to eyes.

36/37/38 Irritating to eyes, respiratory system and skin.

· **Contact:** Mike Rickert

USA